

# KANE COUNTY

## DIVISION of TRANSPORTATION

Carl Schoedel, P.E.  
Director of Transportation  
County Engineer



41W011 Burlington Road  
St. Charles, IL 60175  
Phone: (630) 584-1171  
Fax: (630) 584-5239  
Permit Dept.

### UTILITY PERMIT PROVISIONS

1. Traffic control to meet or exceed IDOT Standards.
2. 48 hours notice to KDOT before beginning work. 630-584-1171 Monday thru Friday 8-4.
3. NO OPEN CUT of any County Highway or other paved surface within the right-of-way, without written permission from Kane County Division of Transportation.
4. ANY discrepancies from approved plans will need KDOT approval in writing.
5. Upon completion of the project, all disturbed areas shall be a minimum 6" Topsoil Placement. All disturbed areas shall receive a minimum – Seeding Class 2A, fertilizer nutrients and Erosion Control Blanket (North American Brand or approved equivalent or salt tolerant sod with fertilizer nutrients). Restoration shall be completed within 30 days or Kane County Division of Transportation may restore and back bill the Permittee.
6. Restoration will be scheduled within (1) one month of initial excavation within right-of-way of KDOT. Utility to provide schedule with approval of KDOT.
7. It is the responsibility of the utility being permitted to insure their sub-contractors adhere to these policies.
8. Any deviations from these policies will result in a work stoppage.
9. Augering or receiving pits shall not be within 10-feet of the roadway shoulder.
10. If the utility's equipment for any reason needs to be relocated, moved, adjusted or removed from the County right-of-way, it shall be done at the expense of the utility.
11. J.U.L.I.E. must be contacted for locate at least 72 hours before beginning work.
12. The Permittee is responsible for locating all underground utility facilities within County right-of-way.
13. 24-hour emergency contact names and phone numbers must be supplied to KDOT.
14. Work in Kane County must have the proper approval from all local government agencies, i.e.: Federal, State, City, Township or County.
15. No equipment that has less than 10 feet of ground clearance will be allowed to be mounted to a utility pole.